

SPITWATER®

INDUSTRIAL CLEANING & HEATING EQUIPMENT

High
pressure
cleaners



Copyright © SPITWATER AUSTRALIA PTY LTD, 2019

953 Metry Street, Albury NSW 2640 Australia

Published on www.spitwater.com.au

This publication is copyright. No part may be reproduced by any process except in accordance with the provisions of the Copyright Act 1968.

General Disclaimer

This document may be of assistance to you, but SPITWATER and its employees do not guarantee that the information it contains is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this document. The manufacturer reserves the right to modify designs, features and technical data without notice. SPITWATER® is a registered trademark of Spitwater Australia Pty Ltd.

For further information contact SPITWATER on 1800 172 005 or visit www.spitwater.com.au

Spitwater acknowledges the contribution made by CF

Design: Fin Design

About us



SPITWATER® IS THE ONLY AUSTRALIAN MANUFACTURER OF A COMPLETE RANGE OF HIGH PRESSURE WATER CLEANERS.

Spitwater® is the only Australian manufacturer of a complete range of high pressure water cleaners. Established in Albury, NSW in 1983, the company's large and modern manufacturing facility uses the latest manufacturing technology and systems to design and produce its high quality and durable products.

Spitwater® is an expanding enterprise with a national presence that includes factory-backed distribution centres in Adelaide, Brisbane, Melbourne, Perth and Sydney, and dealers and distributors throughout each state and territory in Australia offering sales, replacement parts and aftersales service support to customers. Spitwater® is recognised internationally and is represented by experienced and long-established distributors in several countries around the world.

Spitwater® offers a wide range of additional services including the distribution of a high quality range of Jetfire® portable industrial space heaters, industrial and commercial vacuum cleaners and scrubber driers.

SPITWATER®



Contents

COLD WATER MODELS

Electric powered	06
Petrol powered	15
Diesel powered	21
Heating attachment	24

HIGH TEMPERATURE WATER MODELS

Electric powered	25
------------------	----

HOT WATER MODELS

Electric powered	26
Petrol powered	30
Diesel powered	31



INTERPUMP



POWERED by
HONDA

Kubota



Duty cycle



HOBBY

LIGHT DUTY WEEKLY OR MONTHLY USE



COMMERCIAL

MEDIUM DUTY WEEKLY OR DAILY USE



PROFESSIONAL

MEDIUM TO HEAVY DUTY DAILY USE



INDUSTRIAL

HEAVY DUTY DAILY OR HOURLY USE

ELECTRIC (HOBBY)



BOX JET 8/90

Includes 8 m 1/4" wire braided high pressure hose, gun and single lance with 4-way adjustable nozzle

Rated Pressure	90 Bar 1350 Psi
Pump Water Volume	8 L/min
Pump Speed	2800 RPM
Electric Motor	2.5 HP 230 Volt
Plug	10 Amp
Weight	18.7kg
Dimensions (L x W x H)	360 x 240 x 235mm

Product code **ST07**



QUIKY 10/100

Includes 8 m 1/4" wire braided high pressure hose, gun and single lance with 4-way adjustable nozzle

Rated Pressure	100 Bar 1500 Psi
Pump Water Volume	10 L/min
Pump Speed	2800 RPM
Electric Motor	2.65 HP 230 Volt
Plug	10 Amp
Weight	23.5kg
Dimensions (L x W x H)	405 x 240 x 235mm

Product code **ST04**



ELECTRIC (COMMERCIAL)



10-120C

Includes 8 m 3/8" wire braided high pressure hose, gun and single lance with 4-way adjustable nozzle

Rated Pressure	120 Bar 1800 Psi
Pump Water Volume	10 L/min
Pump Speed	2800 RPM
Electric Motor	3.0 HP 230 Volt
Plug	15 Amp
Weight	32kg
Dimensions (L x W x H)	634 x 398 x 662mm

Product code **SLD10**



ELECTRIC (PROFESSIONAL)



HP10-090

Includes 10 m 3/8" wire braided high pressure hose, gun and single lance with 4-way adjustable nozzle

Rated Pressure	90 Bar 1350 Psi
Pump Water Volume	10 L/min
Pump Speed	1450 RPM
Electric Motor	2.5 HP 230 Volt
Plug	10 Amp
Weight	47kg
Dimensions (L x W x H)	790 x 500 x 785mm

Product code **SCW76**



ELECTRIC (INDUSTRIAL)



HP110

Includes 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	110 Bar 1650 Psi
Pump Water Volume	12 L/min
Pump Speed	1450 RPM
Electric Motor	3.0 HP 230 Volt
Plug	15 Amp
Weight	48kg
Dimensions (L x W x H)	790 x 500 x 785mm

Product code **SCW70**



HP151

Includes 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	150 Bar 2250 Psi
Pump Water Volume	14 L/min
Pump Speed	1450 RPM
Electric Motor	5.5 HP 400 Volt
Plug	10 Amp
Weight	51kg
Dimensions (L x W x H)	790 x 500 x 785mm

Product code **SCW69**



ELECTRIC (INDUSTRIAL)



HP201

Includes 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	15 L/min
Pump Speed	1450 RPM
Electric Motor	7.5 HP 400 Volt
Plug	20 Amp
Weight	67kg
Dimensions (L x W x H)	800 x 500 x 785mm

Product code **SCW53**



HP201S

Includes 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	21 L/min
Pump Speed	1450 RPM
Electric Motor	10 HP 400 Volt
Plug	20 Amp
Weight	92kg
Dimensions (L x W x H)	917 x 557 x 785mm

Product code **SCW54**



ELECTRIC (INDUSTRIAL)



HP21-200HD

Includes 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	21 L/min
Pump Speed	1450 RPM
Electric Motor	10 HP 400 Volt
Plug	20 Amp
Weight	92kg
Dimensions (L x W x H)	917 x 557 x 785mm

Product code **SCW54/D**



HP2030

Includes 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	30 L/min
Pump Speed	1450 RPM
Electric Motor	15 HP 400 Volt
Plug	32 Amp
Weight	221kg
Dimensions (L x W x H)	965 x 854 x 811mm

Product code **SCW85**



ELECTRIC (INDUSTRIAL)



HP3523

Includes 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	350 Bar 5000 Psi
Pump Water Volume	23 L/min
Pump Speed	1450 RPM
Electric Motor	20 HP 400 Volt
Plug	32 Amp
Weight	223kg
Dimensions (L x W x H)	965 x 854 x 811mm

Product code **SCW86**



HP25-400

Includes 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	400 Bar 6000 Psi
Pump Water Volume	25 L/min
Pump Speed	1450 RPM
Electric Motor	25 HP 400 Volt
Plug	63 Amp
Weight	525kg
Dimensions (L x W x H)	1340 x 1060 x 1050 mm

Product code **SCW12**



ELECTRIC (INDUSTRIAL)



HP43-320

Includes 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	320 Bar 4800 Psi
Pump Water Volume	43 L/min
Electric Motor	40 HP 400 Volt
Plug	63 Amp
Weight	525kg
Dimensions (L x W x H)	1340 x 1060 x 1050 mm

Product code **SCW20**



HP47-400

Includes 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	400 Bar 5800 Psi
Pump Water Volume	47 L/min
Electric Motor	50 HP 400 Volt
Plug	63 Amp
Weight	595kg
Dimensions (L x W x H)	1340 x 1060 x 1050 mm

Product code **SCW18**



ELECTRIC (INDUSTRIAL WALL/FLOOR MOUNT)



* Wall mount brackets (pictured) are optional

HP12-110E GT

Includes by-pass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	110 Bar 1650 Psi
Pump Water Volume	12 L/min
Pump Speed	1450 RPM
Electric Motor	3.0 HP 230 Volt
Plug	15 Amp
Weight	60kg
Dimensions (L x W x H)	750 x 600 x 384mm

Product code **SCW70/G**



* Wall mount brackets (pictured) are optional

HP15-200E GT

Includes by-pass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	15 L/min
Pump Speed	1450 RPM
Electric Motor	7.5 HP 400 Volt
Plug	20 Amp
Weight	81kg
Dimensions (L x W x H)	750 x 600 x 384mm

Product code **SCW53/G**



ELECTRIC (INDUSTRIAL WALL/FLOOR MOUNT)



* Wall mount brackets (pictured) are optional

HP21-200E GT

Includes by-pass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	21 L/min
Pump Speed	1450 RPM
Electric Motor	10 HP 400 Volt
Plug	20 Amp
Weight	94kg
Dimensions (L x W x H)	750 x 600 x 384mm

Product code **SCW54/G**



PETROL (HOBBY)



POWERED by
HONDA

HC11-140P

Includes 8 m 1/4" wire braided high pressure hose, gun and single lance with 4-way adjustable nozzle

Rated Pressure	140 Bar 2100 Psi
Pump Water Volume	11 L/min
Pump Speed	3400 RPM
Honda Petrol Engine	5.5 HP GP160
Weight	27kg
Dimensions (L x W x H)	710 x 543 x 924mm

Product code **SLD25**



PETROL (COMMERCIAL)



POWERED by
HONDA

HC12-180P

Includes 8 m 3/8" wire braided high pressure hose, gun and single lance with 4-way adjustable nozzle

Rated Pressure	180 Bar 2700 Psi
Pump Water Volume	12 L/min
Pump Speed	3400 RPM
Honda Petrol Engine	6.5 HP Class GX200
Weight	33kg
Dimensions (L x W x H)	450 x 505 x 940mm

Product code **SLD24**



POWERED by
HONDA

HC15-275P

Includes 8 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	275 Bar 4000 Psi
Pump Water Volume	15 L/min
Pump Speed	3400 RPM
Honda Petrol Engine	13 HP Class GX390
Weight	65kg
Dimensions (L x W x H)	825 x 612 x 752mm

Product code **SLD19**



PETROL - GEARBOX DRIVE (PROFESSIONAL)



HE13-200P

Includes Gearbox drive, 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	13 L/min
Honda Petrol Engine	9.0 HP Class GX270
Pump Speed	1450 RPM
Weight	64kg
Dimensions (L x W x H)	831 x 614 x 752mm

Product code **SCWA68**



HE15-250P

Includes Gearbox drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	250 Bar 3650 Psi
Pump Water Volume	15 L/min
Honda Petrol Engine	13 HP Class GX390
Pump Speed	1450 RPM
Weight	71kg
Dimensions (L x W x H)	829 x 612 x 752mm

Product code **SCWA67**



PETROL - BELT DRIVE (INDUSTRIAL)



HP251A

Includes belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	250 Bar 3650 Psi
Pump Water Volume	15 L/min
Honda Petrol Engine	13 HP Class GX390
Pump Speed	1450 RPM
Weight	85kg
Dimensions (L x W x H)	891 x 627 x 830mm

Product code **SCWA60**



HP251AE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	250 Bar 3650 Psi
Pump Water Volume	15 L/min
Honda Petrol Engine	13 HP Class IGX390
Pump Speed	1450 RPM
Weight	99kg
Dimensions (L x W x H)	891 x 627 x 830mm

Product code **SCWA60/A**



PETROL - BELT DRIVE (INDUSTRIAL)



POWERED by
HONDA

HP201SAE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	21 L/min
Honda Petrol Engine	13 HP Class IGX390
Pump Speed	1450 RPM
Weight	99kg
Dimensions (L x W x H)	891 x 627 x 830mm

Product code **SCWA62**



POWERED by
HONDA

HP251SAE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	250 Bar 3650 Psi
Pump Water Volume	21 L/min
Honda Petrol Engine	20 HP Class GX630 V-TWIN
Pump Speed	1450 RPM
Weight	130kg
Dimensions (L x W x H)	991 x 736 x 953mm

Product code **SCWA61**



PETROL - BELT DRIVE (INDUSTRIAL)



HP2430AE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	240 Bar 3500 Psi
Pump Water Volume	30 L/min
Honda Petrol Engine	20 HP Class GX630 V-TWIN
Pump Speed	1450 RPM
Weight	136kg
Dimensions (L x W x H)	991 x 736 x 953mm

Product code **SCWA63**



HP3523AE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	350 Bar 5000 Psi
Pump Water Volume	23 L/min
Honda Petrol Engine	24 HP Class GX660 V-TWIN
Pump Speed	1450 RPM
Weight	137kg
Dimensions (L x W x H)	991 x 736 x 953mm

Product code **SCWA64**



DIESEL - BELT DRIVE (INDUSTRIAL)



Kubota

HP12-150DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and single lance with a 4-way adjustable nozzle

Rated Pressure	150 Bar 2250 Psi
Pump Water Volume	12 L/min
Diesel Engine	Kubota 6 HP
Pump Speed	1450 RPM
Weight	110kg
Dimensions (L x W x H)	823 x 605 x 761mm

Product code **SCWD062**



Kubota

HP15-210DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	210 Bar 3150 Psi
Pump Water Volume	15 L/min
Diesel Engine	Kubota 9.5 HP
Pump Speed	1450 RPM
Weight	140kg
Dimensions (L x W x H)	869 x 687 x 827mm

Product code **SCWD067**



DIESEL - BELT DRIVE (INDUSTRIAL)



HP30-250DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	250 Bar 3650 Psi
Pump Water Volume	30 L/min
Diesel Engine	Kubota 23 HP Water Cooled
Pump Speed	1450 RPM
Weight	360kg
Dimensions (L x W x H)	1005 x 876 x 1226mm

Product code **SCWD082**



HP23-350DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	350 Bar 5000 Psi
Pump Water Volume	23 L/min
Diesel Engine	Kubota 23 HP Water Cooled
Pump Speed	1450 RPM
Weight	361kg
Dimensions (L x W x H)	1005 x 876 x 1226mm

Product code **SCWD084**



DIESEL - BELT DRIVE (INDUSTRIAL)



Kubota

HP25-400DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	400 Bar 6000 Psi
Pump Water Volume	25 L/min
Diesel Engine	Kubota 30 HP Water Cooled
Weight	641kg
Dimensions (L x W x H)	1400 x 1275 x 1195mm

Product code **SCWD106**



Kubota

HP43-320DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and single S3 lance with a fixed nozzle

Rated Pressure	320 Bar 4800 Psi
Pump Water Volume	43 L/min
Diesel Motor Engine	Kubota 45 HP Water Cooled
Weight	719kg
Dimensions (L x W x H)	1470 x 1320 x 1195mm

Product code **SCWD096**



ATTACHMENT UNITS FOR COLD WATER HIGH PRESSURE CLEANERS (INDUSTRIAL)



HEATING CYLINDER 230V

Includes 2m wire braided, high pressure connection hose

Rated Pressure	275 Bar 4000 Psi
Diesel Fuel Capacity	45 Litres
Duty Cycle	Industrial Use
Plug	10 Amp
Weight	117kg
Dimensions (L x W x H)	1045 x 600 x 820mm

Product code **SHW11**



HEATING CYLINDER 12V

Includes 2m wire braided, high pressure connection hose

Rated Pressure	275 Bar 4000 Psi
Diesel Fuel Capacity	45 Litres
Duty Cycle	Industrial Use
Connection	12 Volt, 15 Amp Absorption
Weight	117kg
Dimensions (L x W x H)	1045 x 600 x 820mm

Product code **SHW11/12V**



ELECTRIC (INDUSTRIAL WALL/FLOOR MOUNT)

MACHINES ARE ABLE TO ACCEPT INLET HOT WATER



* Wall mount brackets (pictured) are optional



* Wall mount brackets (pictured) are optional

HT11-110E GT

Includes delayed total stop, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	110 Bar 1650 Psi
Pump Water Volume	11 L/min
Pump Speed	1450 RPM
Electric Motor	3.0 HP 230 Volt
Plug	15 Amp
Weight	58kg
Dimensions (L x W x H)	750 x 600 x 384mm

Product code **SCW82/G**



HT18-160E GT

Includes delayed total stop, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	160 Bar 2400 Psi
Pump Water Volume	18 L/min
Pump Speed	1450 RPM
Electric Motor	7.5 HP 400 Volt
Plug	20 Amp
Weight	73kg
Dimensions (L x W x H)	750 x 600 x 384mm

Product code **SCW83/G**



ELECTRIC - HOT/COLD (COMMERCIAL)



10-120H

Includes 8 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	120 Bar 1800 Psi
Pump Water Volume	10 L/min
Pump Speed	2800 RPM
Electric Motor	3 HP 230 Volt
Fuel Capacity	11 Litres
Plug	15 Amp
Weight	127kg
Dimensions (L x W x H)	970 x 600 x 810mm

Product code **SLD09**



13-180H

Includes 8 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	180 Bar 2700 Psi
Pump Water Volume	13 L/min
Pump Speed	2800 RPM
Electric Motor	5.5 HP 400 Volt
Fuel Capacity	24 Litres
Plug	10 Amp
Weight	148kg
Dimensions (L x W x H)	1050 x 600 x 820mm

Product code **SLD08**



ELECTRIC - HOT/COLD (INDUSTRIAL)

AVAILABLE WITH A CHOICE OF A MILD STEEL OR STAINLESS STEEL HEATING COIL



SW110

Includes By-pass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	110 Bar 1650 Psi
Pump Water Volume	12 L/min
Pump Speed	1450 RPM
Electric Motor	3 HP 230 Volt
Fuel Capacity	24 Litres
Plug	15 Amp
Weight	150kg
Dimensions (L x W x H)	1117 x 604 x 815mm

Product code **SHW76/A**



SW151

Includes By-pass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	150 Bar 2250 Psi
Pump Water Volume	14 L/min
Pump Speed	1450 RPM
Electric Motor	5.5 HP 400 Volt
Fuel Capacity	24 Litres
Plug	10 Amp
Weight	153kg
Dimensions (L x W x H)	1117 x 604 x 815mm

Product code **SHW68**



ELECTRIC - HOT/COLD (INDUSTRIAL)

AVAILABLE WITH A CHOICE OF A MILD STEEL OR STAINLESS STEEL HEATING COIL



SW201

Includes By-pass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	15 L/min
Pump Speed	1450 RPM
Electric Motor	7.5 HP 400 Volt
Fuel Capacity	24 Litres
Plug	20 Amp
Weight	170kg
Dimensions (L x W x H)	1117 x 604 x 815mm

Product code SHW69



SW2021

Includes By-pass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	21 L/min
Pump Speed	1450 RPM
Electric Motor	10 HP 400 Volt
Fuel Capacity	24 Litres
Plug	20 Amp
Weight	201kg
Dimensions (L x W x H)	1213 x 598 x 870mm

Product code SHW78



ELECTRIC - HOT/COLD (INDUSTRIAL)



SW2030

Includes twin stainless steel heating coils, bypass shut-down timer, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	30 L/min
Pump Speed	1450 RPM
Electric Motor	15 HP 400 Volt
Diesel Fuel Capacity	45 Litres
Plug	32 Amp
Weight	498kg
Dimensions (L x W x H)	1060 x 960 x 1210mm

Product code **SHW85**



PETROL - ENGINE POWERED (INDUSTRIAL)



POWERED by
HONDA

SW15-200PE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	15 L/min
Pump Speed	1450 RPM
Petrol Engine	13 HP Class IGX 390
Diesel Fuel Capacity	45 Litres
Weight	348kg
Dimensions (L x W x H)	1110 x 1110 x 1005mm

Product code **SHW89**



POWERED by
HONDA

SW21-200PE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	21 L/min
Pump Speed	1450 RPM
Petrol Engine	20 HP Class GX 630 V-TWIN
Diesel Fuel Capacity	45 Litres
Weight	360kg
Dimensions (L x W x H)	1110 x 1110 x 1005mm

Product code **SHW90**



DIESEL – ENGINE POWERED (INDUSTRIAL)



SW15-200DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	15 L/min
Pump Speed	1450 RPM
Diesel Engine	Kubota 9.5 HP
Diesel Fuel Capacity	45 Litres
Weight	362kg
Dimensions (L x W x H)	1110 x 1110 x 1005mm

Product code **SHW87**



SW21-200DE

Includes Electric start, belt drive, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	21 L/min
Pump Speed	1450 RPM
Diesel Engine	Kubota 23 HP
	Water Cooled
Diesel Fuel Capacity	45 Litres
Weight	501kg
Dimensions (L x W x H)	1290 x 1060 x 1230mm

Product code **SHW88**



Portable Hot Water

SPITWATER®

DIESEL - ENGINE POWERED (INDUSTRIAL)



SW15-200DES

Includes Silent pack Diesel engine, Electric start, 10 m 3/8" wire braided high pressure hose, gun and dual lance with Hi-Lo valve and fixed nozzles

Rated Pressure	200 Bar 3000 Psi
Pump Water Volume	15 L/min
HATZ Diesel Engine	13 HP Silent Pack
Diesel Fuel Capacity	45 Litres
Weight	424kg
Dimensions (L x W x H)	1110 x 1110 x 1005mm

Product code **SHW91**





SPITWATER

AUSTRALIAN DISTRIBUTION CENTRES

NSW and ACT

130 Gipps Rd
Smithfield NSW 2164
T: 02 9725 4211
F: 02 9725 2631
E: info@spitwaternsw.com.au

QLD

1909 Ipswich Rd
Rocklea QLD 4106
T: 07 3274 1311
F: 07 3275 2117
E: info@spitwaterqld.com.au

SA and NT

495 Grand Junction Rd
Wingfield SA 5013
T: 08 8244 0110
F: 08 8244 0156
E: info@spitwatersa.com.au

VIC and TAS

24 Jellico Drv
Scoresby VIC 3179
T: 03 9763 5544
F: 03 9764 9421
E: info@spitwatervic.com.au

WA

494 Great Eastern Hwy
Redcliffe WA 6104
T: 08 9270 0200
F: 08 9478 4186
E: info@spitwaterwa.com.au

EXPORT SALES & ENQUIRIES

953 Metry Street
Albury NSW 2640
AUSTRALIA
T: +61 2 60257255
E: enquiries@spitwater.com

1300 880 403
spitwater.com.au